



PRODUCT DESCRIPTION

BrightLine smart light box displays feature swift tool-free installation, durable light-weight frames, embedded LEDs, and exclusive One Planet recycled fabrics with impressive vivid graphics, all conveniently organized in a heavy-duty shipping case. Panel W seamlessly fills the popular 20ft exhibit, providing an impressive, illuminated backdrop for elevated branding.

Mix-and-match with other BrightLine panels, or combine with WaveLine and StraightLine displays, to create unique branded environments. TV mounts and counters complete an enhanced experience to really make brands stand out.

KEY FEATURES

- Easy tool free assembly
- Lightweight portable construction
- · Magnetic power links
- LED lights encapsulated in frame
- Heavy duty shipping case, molded foam inserts
- · Single- or double-sided
- Vibrant graphics on recycled fabric

DISPLAY CONSTRUCTION

Aluminum frame with aluminum support poles

DIMENSIONS		
Assembled Unit	236"w x 96"h x 4"d	
Packed Case	46.5"w x 15"h x 12"d, 73 lbs (Qty. 2)	
Shipping Box	47"w x 16"h x 13"d, 75 lbs (Qty. 2)	
Graphic Size	236"w x 96"h	

LED LIGHT SPECIFICATIONS		
Power Requirements	384 W	
CCT (Color Temp)	6000 K	
Voltage Input	110 / 220V	
Voltage Output	24V 11A 264W	
Transformers Included	2	

GRAPHIC MATERIAL		
Graphic Print : Dye sublimated on One Planet, 100% recycled, backlit fabric	Bottles recycled 164	
Blocker : One Planet light block recycled fabric	Bottles recycled 66	

GRAPHIC FINISHING

Silicone sewn edges


WARRANTY

Limited Warranty Periods

Frame: LifetimeLights: 90 daysGraphics: 30 days



PARTS









PARTS

20ft Configuration



10ft Configuration






ASSEMBLY

Assemble parts on the floor and stand-up unit when completed.


(1)




2





(3)







4






(5)









Push the silicone bead into each corner of the frame with your thumb.



Push the siliconebead into the middle of the run and work your way around the perimeter of the frame until all beading is pushed in properly







To Remove Graphic

Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter



